










27 802 845



- COMPACT RAIN, max. flow rate 15 l/min (at 3 bar)
- with anti-scale system
- 3/8" shower outlet
- rosette for wall elbow 60 x 78mm
- rosette for shower holder 60 x 78mm
- metal shower hose 1250mm with integrated anti-twist protection
- 1/2" wall elbow

Intrinsic protection against back flow.

	Brushed Platinum	27 802 845-06
	Chrome	27 802 845-00
	Chrome	27 802 845-00 0010
	Brushed Platinum	27 802 845-06 0010
	Dark Chrome	27 802 845-19
	Dark Chrome	27 802 845-19 0010
	Matte Black	27 802 845-33 0010
	Matte Black	27 802 845-33
	Brushed Chrome	27 802 845-93
	Brushed Chrome	27 802 845-93 0010


Recommended miscellaneous

- Concealed wall elbow -** 35 085 970 90
- max. recess depth 163 mm
 - min. recess depth 90 mm




27 802 845

mm [inches]



Flow rate chart




Certificates

LGA_29013.

WRAS_2209005.

27 802 845



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	28 450 845-06	LISSÉ Wall elbow - Brushed Platinum	1	10
2	90 14 20 026 00 90	seal	1	2
3	28 050 845-06	LISSÉ Wall bracket - Brushed Platinum	1	10
4	90 30 02 072 00-06	Metal shower hose 1/2" x 3/8" x 1250 mm - Brushed Platinum	1	10
5	28 019 979-06	Hand shower - Brushed Platinum	1	10