







36 607 361



- rosette Ø 55 mm
- head part with cut-to-length spindle and sleeve
- 3x porcelain insert: HOT, COLD and NEUTRAL


	Brushed Durabronss (23kt Gold)	36 607 361-28
	Chrome	36 607 361-00
	Brushed Platinum	36 607 361-06
	Platinum	36 607 361-08
	Durabronss (23kt Gold)	36 607 361-09
	Brushed Dark Platinum	36 607 361-99

Required miscellaneous



- Wall valve 1/2" -** 35 607 970 90
- max. recess depth 145 mm
 - min. recess depth 75 mm

36 607 361



Certificates

DVGW_DW-
6501DN0116.
LGA_29932.


WRAS_2011026.

LGA_29931.

WRAS_2010066.

DVGW_DW-
6512DN0706.

36 607 361





MADISON Wall valve clockwise closing 1/2" - Brushed Durabron (23kt Gold)

MADISON

36 607 361

Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 90 03 143 00 90	top	1	2
2	09 23 10 125-00	nut	1	10
3	90 14 10 063 00 90	seal	1	2
4	09 27 36 102-28	rosette	1	20
5	90 30 30 075 00 90	screw	1	2
6	09 30 11 194 90	disc	1	2
7	09 18 30 007-28	sleeve	1	-
Spare part can no longer be ordered, please order the replacement item				
8	90 28 10 030 00 90	ring	1	2
9	09 12 12 064-28	base	1	-
Spare part can no longer be ordered, please order the replacement item				
10	90 14 15 021 00 90	ring	1	2
11	09 21 02 161-28	cover	1	20
12	04 20 36 100 02-28	handle	1	20
13	04 20 36 100 00-28	handle (cold)	1	20
14	04 20 36 100 01-28	handle (hot)	1	20
15	09 20 36 005-28	handle	1	20
16	09 26 01 016 90	accessories	1	2
17	09 26 01 010 90	accessories	1	2
18	09 26 01 011 90	accessories	1	2