

20 705 892



- 166mm projection
- pivotable spout 360°
- circular, air-enriched flow
- height of mixer 145 mm
- height up to aerator 65 mm
- hole diameter valve 32 mm
- hole diameter spout 35 mm
- rosette Ø 55 mm
- 2x screw-in M 10 x 1 pressure hose, leak-tested
- lead-free
- max. flow 5.7 l/min
- This product can help a building to meet requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

Only suitable for basins with an overflow.

	Matte Black	20 705 892-33
	Chrome	20 705 892-00
	Brushed Platinum	20 705 892-06
	Platinum	20 705 892-08
	Dark Chrome	20 705 892-19
	Brushed Durabronze (23kt Gold)	20 705 892-28
	Brushed Champagne (22kt Gold)	20 705 892-46
	Champagne (22kt Gold)	20 705 892-47
	Brushed Chrome	20 705 892-93
	Brushed Dark Platinum	20 705 892-99


Recommended miscellaneous



High pressure hoses -
 • 2x 3/8" x 1/2" x 500mm high pressure hose

12 506 970 90

20 705 892



Flow rate chart




Certificates

LGA_38417.

GDV_0400289.

WRAS_2303029.

20 705 892



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
1	90 28 22 370 00-33	spout	1	30
2	90 31 20 109 00 90	plug	1	2
3	09 31 11 099 90	pin	1	2
4	09 14 10 015 90	seal	1	2
5	09 28 10 140-33	ring	1	2
6	04 30 04 019 00 90	hose	2	2
7	04 23 10 009 02 90	fixing set	1	2
8	90 20 89 010 10-33	handle	2	30
9	09 20 89 010-33	handle	2	30
10	90 12 12 219 00-33	base	2	30
11	90 30 11 029 00 90	disc	2	2
12	90 30 30 075 00 90	screw	2	2
13	09 21 02 140-33	sleeve	2	30
14	09 27 89 105-33	rosette	2	30
15	90 14 10 043 00 90	seal	2	2
16	90 17 11 040 51 90	side panel	2	2
17	10 125 970-33	Basin Waste with push fastening 1 1/4" - Matte Black	1	2