

TARA Three-hole mixer - Brushed Dark Brass (PVD)


TARA

20 816 892 Product version from 4/1/2024



- 235mm projection
- pivotable spout 360°
- air-enriched flow
- height of mixer 370 mm
- height up to aerator 212 mm
- hole diameter spout 35 mm
- hole diameter valve 32 mm
- max. flow 7 l/min at 3 bar flow pressure
- lead-free
- This product can help a building meet the requirements of Green Building Rating Systems, e.g. LEED®, BREEAM®, DGNB

	Brushed Dark Brass (PVD)	20 816 892-39
	Chrome	20 816 892-00
	Brushed Platinum	20 816 892-06
	Platinum	20 816 892-08
	Durabrand (23kt Gold)	20 816 892-09
	Dark Chrome	20 816 892-19
	Brushed Durabrand (23kt Gold)	20 816 892-28
	Matte Black	20 816 892-33
	Brushed Bronze (PVD)	20 816 892-42
	Brushed Champagne (22kt Gold)	20 816 892-46
	Champagne (22kt Gold)	20 816 892-47
	Brushed Chrome	20 816 892-93
	Brushed Dark Platinum	20 816 892-99



Flow rate chart



Codes & Standards

DIN 4109

ISO 3822

Ü-Zeichen



TARA Three-hole mixer - Brushed Dark Brass (PVD)


TARA

20 816 892 Product version from 4/1/2024

Certificates and sustainability

LGA_38

Parts for other
finishes can be found
here: [Chrome](#)



Spare parts list

No.	Item Number	Name	Quantity used	Delivery time
15	90 24 03 537 01 90	adaptor	1.00	14
14	90 17 09 046 13 90	conversion kit	1.00	14
5	04 30 04 019 00 90	hose	2.00	14
11	09 27 89 105-39	rosette	2.00	82
7	04 30 11 038 00 90	fixing set	1.00	14
10	09 21 02 140-39	sleeve	2.00	82
3	09 11 10 088 10-39	connection	1.00	82
13	90 17 11 040 51 90	side panel	2.00	14
1	90 28 22 226 01-39	spout	1.00	54
6	09 14 05 047 90	seal	1.00	14
4	09 28 10 140-39	ring	1.00	82
2	09 30 30 057 90	screw	1.00	14
9	90 20 89 010 10-39	handle	2.00	54
12	90 14 10 043 00 90	seal	2.00	14
8	09 31 11 011 90	pin	1.00	14